

(10)
No. EDN-HE (21)B(15)38/2021 WIFS.

Directorate of Higher Education

Himachal Pradesh, Shimla-1

Telephone Number: 0177-2653120, 2653575, 2653386. Extension: 234 Fax: 0177-2812882, 0177-2811247

E-mail: dhe-sml-hp@gov.in & genbr@rediffmail.com

Dated: Shimla the February, 2021

To


1. The Principal, Govt./ Pvt. Colleges in District Shimla.
2. The Deputy Directors of Higher Education Shimla, Himachal Pradesh
3. All the Principal/Headmaster, Govt. /Pvt. Sen. Sec./Hr. School In District Shimla Himachal Pradesh

Subject: Regarding COVID-19 (random) sampling of Teachers and Students.

Memo,

With reference to the letter No. HFW-SML(1)B(COVID-19)Covid-19 Tests/2020-665 Dated 02/02/2021 received from Chief Medical Officer Shimla District Shimla ,in order to set up random sampling for COVID-19 detection and on account of opening of schools/ colleges, the random sampling of children /students and teachers needs to be done.

In this regard, as desired by CMO, you are, hereby advised to get the random testing for COVID-19 of teachers and students for COVID-19. This will help in keeping a watch/ control over Covid-19 situation.



(Dr. Amarjeet K Sharma)
Director of Higher Education
Himachal Pradesh Shimla-1
February, 2021

Endst. No. Even. Dated Shimla-01 the

Copy to:

1. The Chief Medical Officer Shimla District Shimla Himachal Pradesh for information please.
2. ✓ The Technical Officer (Computer/IT Cell), Directorate of Higher Education, Himachal Pradesh is hereby requested to upload the same on departmental website
3. Guard file

शिक्षा निदेशालय उत्तर हिमाचल

05 MAR 2021

— Sign

Director of Higher Education
Himachal Pradesh.



Himachal Pradesh

DEPARTMENT OF HEALTH AND FAMILY WELFARE

*Gen
19-2-21*

No. HFW-SML(1)B(COVID-19)Covid-19 Tests/2020- *665*
Office of the Chief Medical Officer,
Shimla District, Shimla.

To

- 1) The Director Higher Education,
Himachal Pradesh, Lalpani Shimla-1
- 2) The Director Elementary Education,
Himachal Pradesh, Lalpani Shimla-1

2/2/2021

Sub:- Covid-19 (random) sampling of Teachers and Students

Sir,

With reference to the letter No.GAD-C(F)10-3/2019 dated 7/12/2020 received from Chief Secretary Himachal Pradesh, in order to step up random sampling for COVID -19 detection and on account of opening of schools, the random sampling of children and teachers needs to be done. This will help in keeping a watch / control over Covid-19 situation.

You are requested to convey the same to all the educational institutions to get random testing for COVID-19 of teachers and children on joining the schools.

Yours faithfully,

[Signature]
Chief Medical Officer,
Shimla Distt. Shimla.
dated. *2/2*

Endst. No-- as above-

Copy forwarded for information to :-

1. The Secretary (Health) to Govt. of Himachal Pradesh Shimla-2.
2. The Director Health Services Himachal Pradesh Shimla-9.
3. The Deputy Commissioner Shimla .
4. All the Block Medical Officers for information and necessary action.

Chief Medical officer,
Shimla Distt. Shimla

Genl.

*Smt Shalini Sharma
Sr. Inf. Control
CP
19/2/21*